


MultiFILL™ Dipslide Filling Machine



FEATURES

- Easy to load infeed co-located with outfeed to allow for single operator production.
- HEPA protected production area
- Caster mounted for mobility
- Precision peristaltic pumps: no drips, no bubbles
- Integrated handling of multicavity slides (optional)
- Nominal production rate: 1200 units per hour (will vary based on production parameters)
- CE marked



Engineering inc.


MultiFILL™ Dipslide Filling Machine

Specifications

- Pumps: Proprietary ONLINE peristaltic twin-track
- Operator Interface: Touchscreen and push buttons
- Controls: Siemens S7 series microprocessor
Optical, proximity, laser, and fiber optic sensors
Control Voltage 24VDC
- Services: 110/220 VAC, 50/60 Hz
- Construction: Stainless steel, aluminum, HDPE, polycarbonate

System Functions

- Operator loads slides into feed rail
- Slide is automatically placed for filling
- Liquid is dispensed to preset volume
- Slide is transported on a belt conveyor along protected drying tunnel
- Slide is inverted and the process is repeated for the second side of the slide
- Slide is transferred to the outfeed rails
- Operator removes filled, dried slides from outfeed
- Operator places dipslide into vial



ONLINE Engineering inc. is a global supplier of petri dish filling machines, test tube filling machines, bottle filling machines and other prepared media production equipment. We understand that a quick return-on-investment is important. Our goal is to provide quality equipment and service that significantly contribute to your success.

400 North Cedar St. • Manistique, MI 49854 • USA • Phone: 906-341-0090 • www.online-engineering.com